




# RESIDENTIAL/COMMERCIAL WATER MANAGEMENT SOLUTIONS



800.992.1725 | [WWW.PRINSCO.COM](http://WWW.PRINSCO.COM)

FIND US ON:     





*For over 30 years, Prinsco has been developing more than just plastic pipe. We've been developing a reputation that's founded on one simple thing: integrity. It's how we design our products, it's how we treat our customers, it's how we do business.*

*Look for our gold stripe of quality to ensure your pipe has been engineered with integrity.*

**CORPORATE  
HEADQUARTERS**

Phone: 320.222.6800  
Toll Free: 800.992.1725  
Fax: 320.222.6820

FIND US ON:     







**OUR PRODUCTS**

GOLDLINE® *Product Information* .....4-6

GOLDLINE® GLP *Product Information* .....7

GOLDFLO WT® *Product Information* .....8-9

GOLDFLO® *Product Information* .....8-9

ECOFLO® 1000 *Product Information* ..... 10

**OUR ACCESSORIES**

GOLDFLO WT® / GOLDFLO® / ECOFLO® 1000.....11-14

GOLDLINE® / GOLDLINE® GLP .....15-16

GENERAL .....17-19

AGRI DRAIN™ .....20-21



### PERFORATED LENGTHS

Diameter	Number	Length	Unit
2"	020010PF	10'	100'
3"	030010PF	10'	100'
4"	040010LBC	10'	100'
4"	040010PFC	10'	100'
4"	040020PF	20'	20'
6"	060020PF	20'	20'
8"	080020PF	20'	20'
10"	100020PF	20'	20'
12"	120020PF	20'	20'
15"	150020PF	20'	20'

### NON-PERFORATED LENGTHS

Diameter	Number	Length	Unit
2"	020010NP	10'	100'
3"	030010NP	10'	100'
4"	040010NPC	10'	100'
4"	040020NP	20'	20'
6"	060020NP	20'	20'
8"	080020NP	20'	20'
10"	100020NP	20'	20'
12"	120020NP	20'	20'
15"	150020NP	20'	20'

### NON-PERFORATED LENGTHS WITH LOCK-FAST® COUPLER

Diameter	Number	Length	Unit
8"	080010NPC	10'	10'
10"	100010NPC	10'	10'
12"	120010NPC	10'	10'
15"	150010NPC	10'	10'



Great for projects involving fine soil or flowable particles of soil. It comes with a non-woven, seamed sleeve (bottom) or a knitted polyester continuous seamless sleeve (top).

PIPE WITH INSTALLED WRAP			
Diameter	Number	Length	Unit
<b>PIPE WITH KNITTED POLYESTER WRAP</b>			
3"	030100SF	100'	Micro
3"	030300SF	300'	Mini
4"	040100SF	100'	Micro
4"	040250SF	250'	Mini
5"	050165SF	165'	Mini
6"	060100SF	100'	Mini
8"	080020SF*	20'	Stick
8"	080390SF	390'	Mini
10"	100020SF*	20'	Stick
12"	120020SF*	20'	Stick
15"	150020SF*	20'	Stick
<b>PIPE WITH NON-WOVEN FABRIC WRAP</b>			
3"	030300HF	300'	Mini
4"	040100HF	100'	Micro
4"	040250HF	250'	Mini
6"	060100HF	100'	Mini

\*Special Order Items. Note: Geotextile fabric specifications are available upon request.



\* Fabric should not be used when installing in heavy soils (such as clay or loam) because it will inhibit water from entering the pipe.

**GOLDLINE® Accessories:** See pages 15-16



### PERFORATED COILS

Diameter	Number	Length	Unit
2"	020100PF	100'	Micro
2"	020500PF	500'	Mini
3"	030100PF	100'	Micro
3"	030300PF	300'	Mini
4"	040100PF	100'	Micro
4"	040150PF	150'	Micro
4"	040250PF	250'	Mini
5"	050165PF	165'	Mini
6"	060100PF	100'	Mini
8"	080390PF	390'	Mini

### LEACHBED PIPE

Has 3 rows of holes on the bottom of the pipe.

Diameter	Number	Length	Unit
4"	040100LB	100'	Micro
4"	040250LB	250'	Mini

### MUCK PIPE

Has 3 rows of large-diameter holes at intervals of 120°.

Diameter	Number	Length	Unit
4"	040100MH	100'	Micro
5"	050165MH	165'	Mini
6"	060100MH	100'	Mini

### NON-PERFORATED COILS

Diameter	Number	Length	Unit
2"	020100NP	100'	Micro
2"	020500NP	500'	Mini
3"	030100NP	100'	Micro
3"	030300NP	300'	Mini
4"	040100NP	100'	Micro
4"	040250NP	250'	Mini
5"	050165NP	165'	Mini
6"	060100NP	100'	Mini
8"	080390NP	390'	Mini

### APPLICATIONS\*:

- ✓ Residential Drainage
- ✓ Culverts
- ✓ Agricultural Drainage
- ✓ Highway Drains
- ✓ Leachbeds
- ✓ Building & Construction Drains
- ✓ Containment Pipe
- ✓ Conduit
- ✓ Grain Aeration
- ✓ Air Duct

\* Contact your Prinsco representative regarding application suitability questions.



## Specifications

### DESCRIPTION:

GOLDLINE® is soil-tight, high density polyethylene plastic pipe. It is available in mini rolls, maxi rolls, and 10- and 20-foot stick lengths. GOLDLINE® is available in perforated (slots), drilled (holes) or non-perforated configurations, and can be supplied with high performance geotextile fabric.



**GRAVEL-LESS LEACHBED PIPE**

Diameter	Number	Length
10"	100010GLP	10'
10"	100020GLP	20'

**Specifications**

**DESCRIPTION:**

Specially perforated, corrugated high-density polyethylene plastic pipe encased in an ultrasonically seam-welded sleeve of strong, lightweight drainage filtration fabric. Ten-foot lengths have a patented integral Lock-Fast® Coupler. Gravel-less Leachbed Pipe (GLP) is shipped in protective plastic bags at the time of manufacture.

**FABRIC PROPERTIES:**

Prinsco offers geotextile fabric for use in GOLDLINE GLP. It is a knitted white polyester fabric which allows the gold alignment stripe to remain visible during installation. It combines quality drainage and filtration properties with a higher strength to better resist damage during shipment or installation. For technical information, please contact your Prinsco representative.



**APPLICATIONS:**

- ✓ Leachbed applications where conventional gravel-filled systems are allowed by state or local codes

**GOLDLINE® Accessories:** See pages 15-16





### Available Sizes:

Diameter	Number	Nominal Length
4"	4WT20NP	20'
6"	6WT20NP	20'
8"	8WT20NP	20'
10"	10WT20NP	20'
12"	12WT10NP/12WT20NP	10'/20'
15"	15WT10NP/15WT20NP	10'/20'
18"	18WT11NP/18WT20NP	11'/20'
24"	24WT11NP/24WT20NP	11'/20'
30"	30WT11NP/30WT20NP	11'/20'
36"	36WT11NP/36WT20NP	11'/20'
42"	42WT11NP/42WT20NP	11'/20'
48"	48WT11NP/48WT20NP	11'/20'
60"	60WT11NP/60WT20NP	11'/20'

(pipe is available perforated)

**GOLDFLO WT® Accessories:** See pages 11-14



### Available Sizes:

Diameter Length	Number	Nominal
4"	04GF20NP	20'
6"	06GF20NP	20'
8"	08GF20NP	20'
10"	10GF20NP	20'
12"	12GF20NP	20'
15"	15GF20NP	20'
18"	18GF20NP	20'
24"	24GF20NP	20'
30"	30GF20NP	20'
36"	36GF20NP	20'

(pipe is available perforated)

**GOLDFLO® Accessories:** See pages 11-14



## Specifications

### DESCRIPTION:

GOLDFLO® is high density polyethylene plastic pipe manufactured to the stringent requirements of AASHTO M294 and ASTM F2306, ensuring you receive a quality, high performance product. GOLDFLO® is available with a soiltight joint configuration in 12"– 36" and with a watertight joint configuration in 12"– 60" as GOLDFLO WT®.

### FITTINGS:

Prinsco, Inc. stocks a complete line of standard GOLDFLO® fittings. See pages 11-14 for a complete list.

### APPLICATIONS\*:

- ✓ Storm Sewers
- ✓ Highway Drainage
- ✓ Parking Lot Drainage
- ✓ Storm Water Retention Systems
- ✓ Culverts
- ✓ Ventilation
- ✓ Aeration
- ✓ Industrial Applications
- ✓ Ditch Enclosures

\* Contact your Prinsco representative regarding application suitability questions.





### Available Sizes:

Diameter	Number	Nominal Length
4"	4EF20NP	20'
6"	6EF20NP	20'
8"	8EF20NP	20'
10"	10EF20NP	20'
12"	12EF20NP	10'/20'
15"	15EF20NP	10'/20'
18"	18EF20NP	11'/20'
24"	24EF20NP	11'/20'
30"	30EF20NP	11'/20'
36"	36EF20NP	11'/20'
42"	42EF20NP	11'/20'
48"	48EF20NP	11'/20'
60"	60EF20NP	11'/20'

Some sizes may be special order.

(pipe is available perforated)

## ECOFLO® 100

### Accessories:

See our complete line of standard fittings on page 11-14.

ECOFLO®100 is an industry first: a high density polyethylene pipe containing a minimum of 40% recycled HDPE and engineered to provide a 100 year service life. It offers material performance exceeding the requirements of AASHTO M294 or ASTM F2306, and is the ideal choice for high-volume watertight gravity-flow drainage applications where an environmentally-conscious product is in demand.




### APPLICATIONS\*:

- ✓ Storm Sewer
- ✓ Highway Drainage
- ✓ Parking Lot Drainage
- ✓ Storm Water Detention Systems
- ✓ Industrial Applications
- ✓ Ditch Enclosures
- ✓ Ag Drainage Mains

\* Contact your Prinsco representative regarding application suitability questions



**GOLDLOK™**  
couplers from  
Prinsco



**WATERTIGHT GOLDLOK™ COUPLER**

12"	GFWTS12
15"	GFWTS15
18"	GFWTS18
24"	GFWTS24
30"	GFWTS30
36"	GFWTS36
42"	GFWTS42
48"	GFWTS48
60"	GFWTS60



**SOIL TIGHT SPLIT COUPLER**

Size	Number
4"	SC04
6"	SC06
8"	SC08
10"	SC10
12"	SC12
15"	SC15H
18"	SC18
24"	SC24
30"	SC30
36"	SC36



**ELBOW - 22.5°**

Size	Number
4"	GFE0422
6"	GFE0622
8"	GFE0822
10"	GFE1022
12"	GFE1222
15"	GFE1522
18"	GFE1822
24"	GFE2422
30"	GFE3022
36"	GFE3622
42"	GFE4222
48"	GFE4822
60"	GFE6022



**ELBOW - 45°**

Size	Number
4"	GFE0445
6"	GFE0645
8"	GFE0845
10"	GFE1045
12"	GFE1245
15"	GFE1545
18"	GFE1845
24"	GFE2445
30"	GFE3045
36"	GFE3645
42"	GFE4245
48"	GFE4845
60"	GFE6045



**ELBOW - 90° (2-Piece)**

Size	Number
4"	GFE04902
6"	GFE06902
8"	GFE08902
10"	GFE10902
12"	GFE12902
15"	GFE15902
18"	GFE18902
24"	GFE24902
30"	GFE30902
36"	GFE36902
42"	GFE42902
48"	GFE48902
60"	GFE60902



**ELBOW - 90° (3-Piece)**


Size	Number
4"	GFE0490
6"	GFE0690
8"	GFE0890
10"	GFE1090
12"	GFE1290
15"	GFE1590
18"	GFE1890
24"	GFE2490
30"	GFE3090
36"	GFE3690
42"	GFE4290
48"	GFE4890
60"	GFE6090

**MARMAC COUPLER**

Size	Number
4"	MM4
6"	MM6
8"	MM8
10"	MM10
12"	MM12
15"	MM15
18"	MM18
24"	MM24
30"	MM30
36"	MM36
42"	MM42
48"	MM48
60"	MM60

**GASKET FOR SNAP COUPLER**

Size	Number
4"	GFGSK04
6"	GFGSK06
8"	GFGSKOR08
10"	GFGSK10



### PRINSCO DUAL-WALL CATCH BASINS

Made to project specifications, maximum height up to 8'.

Size	Number	Unit
12"	GFCB12	Each
15"	GFCB15	Each
18"	GFCB18	Each
24"	GFCB24	Each
30"	GFCB30	Each
36"	GFCB36	Each
42"	GFCB42	Each
48"	GFCB48	Each
60"	GFCB60	Each



### REDUCER (One-Step)

Size	Reducer
6"	Avail. in 4"
8"	Avail. in 4"-6"
10"	Avail. in 4"-8"
12"	Avail. in 4"-10"
15"	Avail. in 4"-12"
18"	Avail. in 4"-15"
24"	Avail. in 4"-18"
30"	Avail. 4"- 24"
36"	Avail. 4"-30"
42"	Avail. 4"-36"
48"	Avail. 4"-42"
60"	Avail. 4"-48"



### TEE

Size	Number
4"	GFT0404
6"	GFT0606
8"	GFT0808
10"	GFT1010
12"	GFT1212
15"	GFT1515
18"	GFT1818
24"	GFT2424
30"	GFT3030
36"	GFT3636
42"	GFT4242
48"	GFT4848
60"	GFT6060



### CROSS TEE

Size	Number
4"	GFCT04
6"	GFTC06
8"	GFTC08
10"	GFTC10
12"	GFCT12
15"	GFCT15
18"	GFCT18
24"	GFCT24



### WYE - 45°

Size	Number
4"	GFY0404
6"	GFY0606
8"	GFY0808
10"	GFY1010
12"	GFY1212
15"	GFY1515
18"	GFY1818
24"	GFY2424



### SADDLE TEES

Size	Number
GFST1004	<b>10"</b> 10" X 4"
GFST1006	10" X 6"
GFST1008	10" X 8"
GFST1204	<b>12"</b> 12" X 4"
GFST1206	12" X 6"
GFST1208	12" X 8"
GFST1210	12" X 10"
GFST1504	<b>15"</b> 15" X 4"
GFST1506	15" X 6"
GFST1508	15" X 8"
GFST1510	15" X 10"
GFST1512	15" X 12"
GFST1804	<b>18"</b> 18" X 4"
GFST1806	18" X 6"
GFST1808	18" X 8"
GFST1810	18" X 10"
GFST1812	18" X 12"
GFST1815	18" X 15"
GFST2404	<b>24"</b> 24" X 4"
GFST2406	24" X 6"
GFST2408	24" X 8"
GFST2410	24" X 10"
GFST2412	24" X 12"
GFST3004	<b>30"</b> 30" X 4"
GFST3006	30" X 6"
GFST3008	30" X 8"
GFST3010	30" X 10"
GFST3012	30" X 12"



### REDUCING WYES


Size	Number	Size	Number
GFY0604	6" 6" X 4" Wye	GFY3604	36" 36" X 4" Wye
GFY0804	8" 8" X 4" Wye	GFY3606	36" X 6" Wye
GFY0806	8" X 6" Wye	GFY3608	36" X 8" Wye
GFY1004	10" 10" X 4" Wye	GFY3610	36" X 10" Wye
GFY1006	10" X 6" Wye	GFY3612	36" X 12" Wye
GFY1008	10" X 8" Wye	GFY3615	36" X 15" Wye
GFY1204	12" 12" X 4" Wye	GFY3618	36" X 18" Wye
GFY1206	12" X 6" Wye	GFY3624	36" X 24" Wye
GFY1208	12" X 8" Wye	GFY4204	42" 42" X 4" Wye
GFY1210	12" X 10" Wye	GFY4206	42" X 6" Wye
GFY1504	15" 15" X 4" Wye	GFY4208	42" X 8" Wye
GFY1506	15" X 6" Wye	GFY4210	42" X 10" Wye
GFY1508	15" X 8" Wye	GFY4212	42" X 12" Wye
GFY1510	15" X 10" Wye	GFY4215	42" X 15" Wye
GFY1512	15" X 12" Wye	GFY4218	42" X 18" Wye
GFY1804	18" 18" X 4" Wye	GFY4224	42" X 24" Wye
GFY1806	18" X 6" Wye	GFY4804	48" 48" X 4" Wye
GFY1808	18" X 8" Wye	GFY4806	48" X 6" Wye
GFY1810	18" X 10" Wye	GFY4808	48" X 8" Wye
GFY1812	18" X 12" Wye	GFY4810	48" X 10" Wye
GFY1815	18" X 15" Wye	GFY4812	48" X 12" Wye
GFY2404	24" 24" X 4" Wye	GFY4815	48" X 15" Wye
GFY2406	24" X 6" Wye	GFY4818	48" X 18" Wye
GFY2408	24" X 8" Wye	GFY4824	48" X 24" Wye
GFY2410	24" X 10" Wye	GFY6004	60" 60" X 4" Wye
GFY2412	24" X 12" Wye	GFY6006	60" X 6" Wye
GFY2415	24" X 15" Wye	GFY6008	60" X 8" Wye
GFY2418	24" X 18" Wye	GFY6010	60" X 10" Wye
GFY3004	30" 30" X 4" Wye	GFY6012	60" X 12" Wye
GFY3006	30" X 6" Wye	GFY6015	60" X 15" Wye
GFY3008	30" X 8" Wye	GFY6018	60" X 18" Wye
GFY3010	30" X 10" Wye	GFY6024	60" X 24" Wye
GFY3012	30" X 12" Wye		
GFY3015	30" X 15" Wye		
GFY3018	30" X 18" Wye		



### REDUCING TEES

Size	Number	Size	Number	Size	Number
GFT0604	6" 6" X 4" Tee	GFT2415	24" 24" X 15" Tee	GFT4230	42" 42" X 30" Tee
GFT0804	8" 8" X 4" Tee	GFT2418	24" X 18" Tee	GFT4236	42" X 36" Tee
GFT0806	8" X 6" Tee	GFT3004	30" 30" X 4" Tee	GFT4804	48" 48" X 4" Tee
GFT1004	10" 10" X 4" Tee	GFT3006	30" X 6" Tee	GFT4806	48" X 6" Tee
GFT1006	10" X 6" Tee	GFT3008	30" X 8" Tee	GFT4808	48" X 8" Tee
GFT1008	10" X 8" Tee	GFT3010	30" X 10" Tee	GFT4810	48" X 10" Tee
GFT1204	12" 12" X 4" Tee	GFT3012	30" X 12" Tee	GFT4812	48" X 12" Tee
GFT1206	12" X 6" Tee	GFT3015	30" X 15" Tee	GFT4815	48" X 15" Tee
GFT1208	12" X 8" Tee	GFT3018	30" X 18" Tee	GFT4818	48" X 18" Tee
GFT1210	12" X 10" Tee	GFT3024	30" X 24" Tee	GFT4824	48" X 24" Tee
GFT1504	15" 15" X 4" Tee	GFT3604	36" 36" X 4" Tee	GFT4830	48" X 30" Tee
GFT1506	15" X 6" Tee	GFT3606	36" X 6" Tee	GFT4836	48" X 36" Tee
GFT1508	15" X 8" Tee	GFT3608	36" X 8" Tee	GFT4842	48" X 42" Tee
GFT1510	15" X 10" Tee	GFT3610	36" X 10" Tee	GFT6004	60" 60" X 4" Tee
GFT1512	15" X 12" Tee	GFT3612	36" X 12" Tee	GFT6006	60" X 6" Tee
GFT1804	18" 18" X 4" Tee	GFT3615	36" X 15" Tee	GFT6008	60" X 8" Tee
GFT1806	18" X 6" Tee	GFT3618	36" X 18" Tee	GFT6010	60" X 10" Tee
GFT1808	18" X 8" Tee	GFT3624	36" X 24" Tee	GFT6012	60" X 12" Tee
GFT1810	18" X 10" Tee	GFT3630	36" X 30" Tee	GFT6015	60" X 15" Tee
GFT1812	18" X 12" Tee	GFY4204	42" 42" X 4" Tee	GFT6018	60" X 18" Tee
GFT1815	18" X 15" Tee	GFT4206	42" X 6" Tee	GFT6024	60" X 24" Tee
GFT2404	24" 24" X 4" Tee	GFT4208	42" X 8" Tee	GFT6030	60" X 30" Tee
GFT2406	24" X 6" Tee	GFT4210	42" X 10" Tee	GFT6036	60" X 36" Tee
GFT2408	24" X 8" Tee	GFT4212	42" X 12" Tee	GFT6042	60" X 42" Tee
GFT2410	24" X 10" Tee	GFT4215	42" X 15" Tee	GFT6048	60" X 48" Tee
GFT2412	24" X 12" Tee	GFT4218	42" X 18" Tee		
		GFT4224	42" X 24" Tee		

ACCESSORIES: GOLDFLO WT® | GOLDFLO® | ECOFLO® 100



### TRASH GUARD

Used on flared end sections with 3:1 slopes to help keep debris out and prevent clogging.

Size	Number	Unit
8"	TGS08	Each
10"	TGS10	Each
12"	TGS12	Each
15"	TGS15	Each
18"	TGS18P1215	Each
24"	TGS24P18	Each
30"	TGS30P24	Each
36"	TGS36P3036	Each
42"	TGS42	Each
48"	TGS48	Each
60"	TGS60	Each

### GALVANIZED TRASH GUARD

Used on flared end sections with 3:1 slopes to help keep debris out and prevent clogging.

Size	Number	Unit
12"	GTG12	Each
15"	GTG15	Each
18"	GTG18	Each
24"	GTG24	Each
30"	GTG30	Each
36"	GTG36	Each


### WATERTIGHT BELL COUPLER GASKETS

Used to connect to Prinsco PVC Catch Basins or Fabricated Fittings

4"	GFGSK04	Each
6"	GFGSK06	Each
8"	GFGSK08	Each
10"	GFGSK10	Each
12"	GFGSK12	Each
15"	GFGSK15	Each
18"	GFGSK18MW	Each
18"	GFGSK18WC	Each
24"	GFGSK24MW	Each
24"	GFGSK24WC	Each
30"	GFGSK30MW	Each

### GOLDFLO WATER STOP GASKET

Size	Number	Unit
12"	GFWSG12	Each
15"	GFWSG15	Each
18"	GFWSG18	Each
24"	GFWSG24	Each
30"	GFWSG30	Each
36"	GFWSG36	Each
42"	GFWSG42	Each
48"	GFWSG48	Each
60"	GFWSG60	Each




### STEEL APRONS

Used on projects where 2.5:1 slope is specified. Fits contour and assists water flow through the culvert.

Size	Number	Unit
6"	ES06	Each*
8"	ES08	Each
10"	ES10	Each
12"	ES12	Each
15"	ES15	Each
18"	ES18	Each
24"	ES24	Each
30"	ES30	Each
36"	ES36	Each
42"	ES42	Each
48"	ES48	Each
60"	ES60	Each

\*special order item



### SAFETY APRONS

Used where 6:1 slopes are required. Available with or without safety grate.

Size	Number	Unit
12"	SA0012	Each
15"	SA0015	Each
18"	SA0018	Each
24"	SA0024	Each

Safety aprons are all special-order items.

### PLASTIC APRONS

High density polyethylene aprons designed for GOLDLINE and GOLDFLO/ ECOFLO applications

Size	Number	Unit
12"	PLAP12	Each
15"	PLAP15	Each
18"	PLAP18	Each
24"	PLAP24	Each
30"	PLAP30	Each
36"	PLAP36	Each

### EXTERNAL ENDCAPS

Size	Number	Unit
8"	EC08-GF	Each
10"	EC10-GF	Each
12"	EC12-GF	Each
15"	EC15-GF	Each
18"	EC18-GF	Each
24"	EC24-GF	Each
30"	EC30-GF	Each
36"	EC36-GF	Each
42"	EC42-GF	Each
48"	EC48-GF	Each

### PIPE ADAPTER

Size	Number	Unit
10"	GFA10	Each
12"	GFA12	Each
15"	GFA15	Each
18"	GFA18	Each
24"	GFA24	Each
30"	GFA30	Each
36"	GFA36	Each

### RUBBER FLEXIBLE MANHOLE ADAPTER

Size	Number	Unit
12"	GFAD12MH	Each
15"	GFAD15MH	Each
18"	GFAD18MH	Each
24"	GFAD24MH	Each

### GOLDFLO HDPE BELL X SDR35 SPIGOT ADAPTER

Size	Number	Unit
4"	GFAD04MH-PVC35	Each
6"	GFAD06MH-PVC35	Each
8"	GFAD08MH-PVC35	Each
10"	GFAD10MH-PVC35	Each
12"	GFAD12MH-PVC35	Each
15"	GFAD15MH-PVC35	Each
18"	GFAD18MH-PVC35	Each
24"	GFAD24MH-PVC35	Each

### GOLDFLO HDPE BELL X SCH40 SPIGOT ADAPTER

Size	Number	Unit
4"	GFAD04MH-PVC40	Each
6"	GFAD06MH-PVC40	Each
8"	GFAD08MH-PVC40	Each
10"	GFAD10MH-PVC40	Each
12"	GFAD12MH-PVC40	Each





**STRAIGHT TEE**

Size	Number	Unit
2"	T0222	Each / Pkg. 50
3"	T0333	Each / Pkg. 50
4"	T0444	Each / Pkg. 20
5"	T0555	Each / Pkg. 5
6"	T0666	Each / Pkg. 5



**BLIND TEE**

Size	Number	Unit
3"	T033B	Each / Pkg. 50
4"	T044B	Each / Pkg. 20
5"	T055B	Each / Pkg. 5
6"	T066B	Each / Pkg. 5
8"	T088B	Each / Pkg. 4
10"	T100B	Each
12"	T120B	Each
15"	T150B	Each
18"	T180B	Each



**REDUCING TEE**

Size	Number	Unit
5"	T0554	Each / Pkg. 5
6"	T0654	Each / Pkg. 5
8"	T0888	Each / Pkg. 4
10"	T1010	Each
12"	T1212	Each
15"	T1515	Each
18"	T1818	Each



**4" x 3" COMBO TEE**

Size	Number	Type	Unit
3"-4"	T0434	Co. Straight	Ea./Pkg. 25
3"-4"	T043B	Co. Blind	Ea./Pkg. 25



**TAP TEE**

Size	Number	Type	Unit	Pipe Fitting
4"	TT04S	Short	Each	6"-8"
4"	TT04L	Long	Each	10"-12"
5"	TT05S	Short	Each	10"-12"
5"	TT05L	Long	Each	15"-18"
6"	TT06S	Short	Each	15"-24"
6"	TT06L	Long	Each	30"-36"



**90° ELBOW**

For larger sizes (5"-15"), use a blind tee.

Size	Number	Unit
3"	E03	Each / Pkg. 25
4"	E04	Each / Pkg. 25



**WYE**

Size	Number	Unit
3"	Y03	Each/Pkg. 25
4"	Y04	Each/Pkg. 15
5"	Y05	Each/Pkg. 5
5"	Y054*	Each
6"	Y06*	Each/Pkg. 6
8"	HB08Y*	Each

\*reducing wyes




**STEP DOWN REDUCER**

Size	Number	Unit
4" x 3"	R043	Each / Pkg. 25
5" x 4"	R054	Each / Pkg. 25
6" x 4"	R064	Each / Pkg. 25
6" x 5"	R065	Each / Pkg. 25
6" x 5" x 4"	R0654	Each / Pkg. 50
8" x 6"	R086	Each
10" x 8"	R108	Each / Pkg. 5
10" x 8" x 6"	R1086	Each / Pkg. 5
12" x 10"	R1210	Each / Pkg. 5
12" x 10" x 8"	R12108	Each / Pkg. 5
15" x 12"	R1512	Each
18" x 15"	R1815	Each



**OFFSET REDUCER OR ADAPTER**

Size	Number	Unit
10" x 4" w/ Gasket	OS104	Each
10" x 4" w/o Gasket	R104	Each



**\*4' x 4' NO-SEEP COLLARS™**

Four-foot square sheet of high density plastic fastened with stainless steel bolts.

Size	Number	Unit
4"	NSC4404	Each
6"	NSC4406	Each
8"	NSC4408	Each
10"	NSC4410	Each
12"	NSC4412	Each
15"	NSC4415	Each
18"	NSC4418	Each
24"	NSC4424	Each

\*special order item  
5'x5' and 6'x6' no-seep collars are also available.

**\*5' x 5' NO-SEEP COLLARS™**

Five-foot square sheet of high density plastic fastened with stainless steel bolts.

Size	Number	Unit
4"	NSC5504	Each
6"	NSC5506	Each
8"	NSC5508	Each
10"	NSC5510	Each
12"	NSC5512	Each
15"	NSC5515	Each
18"	NSC5518	Each
24"	NSC5524	Each

\*special order item

**\*6' x 6' NO-SEEP COLLARS™**

Four-foot square sheet of high density plastic fastened with stainless steel bolts.

Size	Number	Unit
4"	NSC6604	Each
6"	NSC6606	Each
8"	NSC6608	Each
10"	NSC6610	Each
12"	NSC6612	Each
15"	NSC6615	Each
18"	NSC6618	Each
24"	NSC6624	Each

\*special order item



**PLASTA PLUG**

Snaps inside the pipe to cap the end.

Size	Number	Unit
3"	PP03	Box of 100
4"	PP04	Box of 100
5"	PP05	Box of 100
6"	PP06	Box of 100

**CLAY PLUG**

Size	Number	Unit
4"	PP04C	Each / Pkg. 100
5"	PP05C	Each / Pkg. 100
6"	PP06C	Each / Pkg. 100



**INTERNAL END PLUG**

Size	Number	Unit
3"	P03	Each / Pkg. 50
4"	P04	Each / Pkg. 50
5"	P05	Each / Pkg. 25
6"	P06	Each / Pkg. 20
8"	P08	Each / Pkg. 10



**EXTERNAL END CAP PLUG**

Size	Number	Unit
3"	EC03	Each / Pkg. 50
4"	EC04	Each / Pkg. 50
6"	EC06	Each / Pkg. 20
8"	EC08	Each / Pkg. 10
10"	EC10	Each / Pkg. 10
12"	EC12	Each
15"	EC15	Each
18"	EC18	Each
24"	EC24	Each



**INTERNAL SNAP COUPLER**

Size	Number	Unit
3"	IC03	Each / Pkg. 50
4"	IC04	Each / Pkg. 50
5"	IC05	Each / Pkg. 25
6"	IC06	Each / Pkg. 20
8"	IC08	Each / Pkg. 10
10"	IC10	Each / Pkg. 5
12"	IC12	Each / Pkg. 5



**EXTERNAL SNAP COUPLER**

Size	Number	Unit
3"	SN03	Each / Pkg. 50
4"	SN04	Each / Pkg. 50
6"	SN06	Each / Pkg. 25
8"	SN08	Each / Pkg. 5
10"	GFSLV10	Each



**CLAY ADAPTER**

Adapts between corrugated pipe and clay, concrete or PVC.

Size	Number	Unit
3"	CA03	Each
4"	CA04	Each
5"	CA05	Each
6"	CA06	Each
8"	CA08	Each
10"	CA10	Each
12"	CA12	Each
15"	CA15	Each
18"	CA18	Each



**SOIL-TIGHT COUPLER**

Size	Number	Unit
3"	SC03	Each / Pkg. 75
4"	SC04	Each / Pkg. 50
5"	SC05	Each / Pkg. 75
6"	SC06	Each / Pkg. 50
8"	SC08	Each / Pkg. 25
10"	SC10	Each
12"	SC12	Each
15"	SC15	Each
18"	SC18	Each
24"	SC24	Each

**PLASTIC TIES**

Number	Unit
Use with 8"-15" Coupler	
TIE01	Pkg. of 100
Use with 18"-36" Coupler	
TIE02	Pkg. of 50



**DOWNSPOUT ADAPTER**

Size	Number	Unit
3" x 3" x 2"	AD332	Each
4" x 3" x 2"	AD432	Each
4" x 4" x 3"	AD443	Each
4" x 2.5" x 2.5"	AD42525	Each
6" x 6" x 4"	AD664	Each





### CHANNEL DRAINS

The Light Traffic Channel Grate shown is designed for passenger vehicles and light trucks. Other grates and sizes are also available.

Size	Number	Item	Unit
5"x 39.37"	CHAN051	Channel Drain (1m)	Each
5"x 20"	CHAN05GR	Channel Drain Grate	Each
5"	CHAN05EC	Channel Drain End Cap	Each



### JACKEL SUMPS

Number	Item	Unit
RS1824	Jackel 18" X 24" Sump Pit	Each
SL03	Jackel Sump Lid - Radon 3 Hole	Each
SL04	Jackel Sump Lid - Radon Solid	Each
SL05	Jackel Sump Lid - 1 Hole	Each
SL06	Jackel Sump Lid - 1 Hole - 1.5"	Each



### SUMPS & SUMP BASINS

Prinsco's special water collection basin is intended for use with a sump pump. The built-in outer extensions feature self-locking inlets for easy installation. Capacity: 11 gallons to inlet and 21 gallons to lid.

Number	Item	Unit
SUMP	18" X 24" Tapered	Each
SE06	6" Sump Extension	Each
SL01	18" Sump Lid HD Locking-Solid	Each
SL02	18" Sump Lid HD Locking-Slotted	Each

### RADON SAFETY LOCKING LID

For radon abatement systems. Child-proof, rugged self-locking lid (solid) is drilled for gasketed piping and venting. Includes gaskets. Fits - Sump.

Number	Unit
SLR1	Each



### SUMP BASIN EXTENSIONS

6-inch locking sump extensions are designed to be stacked for adjustable depths.

Number	Unit
SE06	Each

### CATCH BASINS

Prinsco catch basins are primarily used with GOLDLINE single-wall pipe on golf courses, athletic fields, patios, lawns and parks.



### 12" SQUARE CATCH BASIN



### 6" EXTENSION 6" OUTLET

### SQUARE CATCH BASIN & ACCESSORIES

The grate fits inside the top of the box to make a 12" x 12" receptacle area. The extension makes the catch basin six inches deeper. Stack several of them to increase the height.

Number	Item
CBS012	12" Catch Basin: Two Outlet
CBSG12	12" Square Grate
CBP006	Plug for 12" Catch Basin
CBS034	3"-4" Outlet for 12" Catch Basin
CBS006	6" Outlet for 12" Catch Basin
CBSX12	6" Ext. for 12" Catch Basin



### 6" SNGL. OUTLET 6" DBL. OUTLET




### ROUND GRATE

### ROUND CATCH BASIN & ACCESSORIES

Each hub outlet allows you to use 3- and 4-inch corrugated pipe or sewer and drain pipe. To extend the height of the catch basin, use a piece of 6-inch SDR-35 PVC pipe. Each catch basin comes with universal outlet inserts.

Number	Item
CBR106	6" Catch Basin: Single Outlet
CBR206	6" Catch Basin: Double Outlet
CBRG04	4" Catch Basin Round Grate
CBRG06	6" Catch Basin Round Grate
CBRG08	8" Catch Basin Round Grate
CBRG12	12" Catch Basin Round Grate
CBRG15	15" Catch Basin Round Grate



### SUMP HOSE KITS


Kits include male adapter & rust resistant clamp.

Size	Number	Unit
1-1/4" x 24'	SK2400	Each
1-1/2" x 24'	SK2200	Each



### CHECK VALVES

Size	Item
CV01.25	1-1/4" Full Flow Check Valve
CV01.5	1-1/2" Full Flow Check Valve
CV01.25IN	1-1/4" Inline Check Valve
CV01.5IN	1-1/2" Inline Check Valve
CV02	2" Inline Check Valve



### HOME & YARD DRAINAGE KITS

Number	Item	Unit
020050NPKIT	2" x 50' Solid Kit (includes end cap and split coupler)	Each
020050PFKIT	2" x 50' Perf. Kit (includes multipurpose adapter)	Each



### TREE GUARDS

Size	Number	Unit
2" x 24"	0224TREE	Each
2" x 24"	0224TREE-P	Pkg of 3
2" x 36"	0236TREE	Each
3" x 36"	0336TREE	Each
3" x 36"	0336TREE-P	Pkg of 2
3" x 48"	0348TREE	Each
4" x 24"	0424TREE	Each
4" x 36"	0436TREE	Each
4" x 48"	0448TREE	Each



### TUF-TITE BOXES™

Tuf-Tite products are made of high-density polyethylene. The boxes are watertight and do not require grouting. Use the drain boxes for driveway, patio and garage floor drainage. Covers available in a drain grate or regular solid lid, with or without an inspection opening.



### DROP, DISTRIBUTION & DRAIN BOXES

Item	Number	Unit
Floor Drain Box w/2 Holes w/Grate	DB020	Ea.
Drop Box w/4 Holes (2" Drop) & Lid	DB042	Ea.
Drop Box w/4 Holes (6" Drop) & Lid	DB046	Ea.
Distribution Box w/6 Holes & Lid	DB060	Ea.
Distribution Box w/7 Holes & Lid	DB070	Ea.
7 Hole Distribution Box Lid	DBLRG7	Ea.
Distribution Box w/9 Holes & Lid	DB090	Ea.

### ACCESSORIES:

Adapter (4" Red)	DBA04	Ea.
Drop Box Extension (6")	DBX06	Ea.
End Plug (4" Black)		
Perforated	DBP45	Ea.
Plug for Unused Hole (Orange)	DBP10	Ea.
Sewer & Drain Seal: Yellow - Schedule 35	DBS35	Ea.
Blue - Schedule 40	DBS40	Ea.
Speed Leveler for Flow Control (Black/Yellow)	DBSL10	Ea.
Lid - Regular Solid	DBLRG	Ea.
Lid - Inspection	DBLIN	Ea.
Lid - Grate	DBLGR	Ea.





### BANDS-ANNULAR - 12" WIDE

Size	Number	Unit
12"	AB1212	Each
15"	AB1512	Each
18"	AB1812	Each
21"	AB2112*	Each
24"	AB2412*	Each
36"	AB36*	Each
48"	AB48*	Each
72"	AB72*	Each

\*Special order item

### STEEL RIVETED CULVERT

Size	Lengths
8" (16 Gauge)	Avail. in 10', 16' & 20'
10" (16 Gauge)	Avail. in 10', 16' & 20'
12" (16 Gauge)	Avail. in 10', 16' & 20'
15" (16 Gauge)	Avail. in 10', 16' & 20'
18" (16 Gauge)	Avail. in 10', 16' & 20'
21" (16 Gauge)	Avail. in 10', 16' & 20'
24" (16 Gauge)	Avail. in 10', 16' & 20'
30" (14 Gauge)	Avail. in 10', 16' & 20'
36" (14 Gauge)	Avail. in 10', 16' & 20'
48" (16 Gauge)	Avail. in 10', 16' & 20'
54" (16 Gauge)	Avail. in 10', 16' & 20'
60" (16 Gauge)	Avail. in 10', 16' & 20'
72" (10 Gauge)	Avail. in 10', 16' & 20'

### STEEL SPIRAL CULVERT

Size	Lengths
6" (18 Gauge)	Avail. in 10', 16' & 20'
8" (16 Gauge)	Avail. in 10', 16' & 20'
10" (16 Gauge)	Avail. in 10', 16' & 20'
12" (16 Gauge)	Avail. in 10', 16' & 20'
15" (16 Gauge)	Avail. in 10', 16' & 20'
18" (16 Gauge)	Avail. in 10', 16' & 20'
21" (16 Gauge)	Avail. in 10', 16' & 20'
24" (16 Gauge)	Avail. in 10', 16' & 20'
30" (14 Gauge)	Avail. in 10', 16' & 20'
36" (14 Gauge)	Avail. in 10', 16' & 20'
48" (16 Gauge)	Avail. in 10', 16' & 20'
60" (16 Gauge)	Avail. in 10', 16' & 20'

### STEEL SPIRAL 2-PIECE BAND

Size	Number	Unit
6"	SB06	Each
8"	SB08	Each
10"	SB10	Each

### HICKENBOTTOM INTAKE RISERS

A Hickenbottom Intake is a three-piece unit that includes one orange section with holes or slots, one orange middle and a special blind tee. All below-ground sections of Hickenbottom intakes meet or exceed ASTM F 405 specifications for underground applications. All sections are three feet in length.



#### ORANGE TOP

With 1" Holes

Size	Number	Unit
5"	HB051	Each
6"	HB061	Each
8"	HB081	Each
10"	HB101	Each
12"	HB121	Each

#### ORANGE TOP

With 1" x 4" Slots

5"	HB051 x 4	Each
6"	HB061 x 4	Each
8"	HB081 x 4	Each
10"	HB101 x 4	Each
12"	HB121 x 4	Each

#### ORANGE MIDDLE

With 5/16" Holes

5"	HB05516	Each
6"	HB06516	Each
8"	HB08516	Each
10"	HB10516	Each
12"	HB12516	Each

#### SPECIAL BLIND TEE

5"	HB05T	Each
6"	HB06T	Each
8"	HB08T	Each
10"	HB10T	Each
12"	HB12T	Each

#### RESTRICTOR

(Cut to Any Size)

6"	HB06R	Each
8"	HB08R	Each

### DRAINFIELD/LANDSCAPE GEOTEXTILE

2.0 oz. Spun-bonded Fabric  
Flat Roll Sheets

Width	Number	Unit
24"	TY0243201	300' Roll
36"	TY0363201	300' Roll
48"	TY0483201	300' Roll
72"	TY0723201	300' Roll
144"	TY1513201	300' Roll



#### DIVERTER VALVE

The diverter valve is made of PVC and designed for septic tank leach fields. Flow may be controlled to individual or up to three fields in any combination.

Number	Item	Unit
DV004	Diverter Valve	Each

#### INTAKE MARKER FLAGS

Fiberglass rod with flag. Fits in the end of our beehive intake caps.

Size	Number	Unit
8'	FLIN02	Each
8'	FLIN03	Each
4'	FLIN04	Each
9'	FLIN05	Each



#### SURVEY FLAGS

Plastic flag is 5" x 4" with a 30" wire.

Number	Item	Unit
FLSV01	Flo-Orange	Bundles of 100
FLSV02	Blue	Bundles of 100
FLSV03	White	Bundles of 100
FLSV04	Flo-Pink	Bundles of 100
FLSV05	Yellow	Bundles of 100
FLSV06	Flo-Green	Bundles of 100

Not all colors stocked on location



Additional allied products are available. Please contact your Prinsco representative for a complete list.



### BAR GUARD

Number	Description	Unit
BG04	4" Bar Guard	Each
BG05	5" Bar Guard	Each
BG06	6" Bar Guard	Each
BG08	8" Bar Guard	Each
BG08H	8" Bar Guard	Each
BG10	10" Bar Guard	Each
BG10H	10" Bar Guard	Each
BG12	12" Bar Guard	Each
BG12H	12" Bar Guard	Each
BG15	15" Bar Guard	Each
BG18	18" Bar Guard	Each
BG24	24" Bar Guard	Each
BG30	30" Bar Guard	Each
BG36	36" Bar Guard	Each
BG42	42" Bar Guard	Each
BG48	48" Bar Guard	Each

Items with "H" are designed to fit Hickenbottom Intakes.



### RODENT GUARD ZINC COATED

Size	Number	Unit
4"	RG04	Each
6"	RG06	Each
8"	RG08	Each
10"	RG10	Each
12"	RG12	Each
15"	RG15	Each
18"	RG18	Each
24"	RG24	Each
30"	RG30	Each



### SPLICING TAPE

Heavy-duty tape for tight pipe connection or for splicing fabric. 2" x 108' roll. By roll or case of 24 rolls.

Number	Unit
BT02	Roll
BT02P	6 Pack
BT02CP	Case of 24



### TILE PROBE

Flexible steel probe available in 5/16" and 3/8" rod, 4', 4.5' and 5'.

Number	Item	Unit
TP04	5/16" x 4'	Each
TP04.5	5/16" x 4.5'	Each
TP05	5/16" x 5'	Each
TP05HD	3/8" x 5'	Each
TP06	5/16" x 6'	Each
TP06HD	3/8" x 6'	Each



### AGRI DRAIN PIPE STRAPS

Number	Item	Unit
PTPS	Pipe Strap Set	Set

Dramatically increases pull apart strength on dual wall polyethylene bell and spigot pipe couplers.

- Fits up to 24" pipe size.





### AGRI DRAIN INLINE WATER LEVEL CONTROL STRUCTURE

Regulate operating water level of ponds, marshes, wetlands and wastewater systems by installing valves on discharge pipes. The sliding drain gate shuts off the discharge pipe, but can be partially open to drain the pond at a controlled rate. Gaskets on the sliding control weir and drain gate resist leakage, seal tight.


Note: Heights vary from 2' to 12'. Please call for specific heights.

#### INLINE WATER LEVEL CONTROL STRUCTURE

Pipe Size	Inside Width	Dim. Depth
4"	8"	10"
6"	8"	10"
8"	12"	12"
10"	14"	16"
12"	16"	20"
15"	20"	24"
18"	24"	28"
24"	31"	39"
24" *	31"	39"

\*To fit 24" dual-wall polyethylene pipe.

#### TYPICAL INSTALLATION Inline Water Level Control Structure



### AGRI DRAIN INLET WATER LEVEL CONTROL STRUCTURE

Regulate operating water level of ponds, marshes, wetlands and wastewater systems by installing valves on discharge pipes. The sliding drain gate shuts off the discharge pipe, but can be partially open to drain the pond at a controlled rate. Gaskets on the sliding control weir and drain gate resist leakage, seal tight.


Note: Heights vary from 2' to 6'. Please call for specific heights.

#### INLET WATER LEVEL CONTROL STRUCTURE


Pipe Size	Inside Width	Dim. Depth
4"	8"	5"
6"	8"	5"
8"	12"	6"
10"	14"	8"
12"	16"	10"
15"	20"	12"
18"	24"	14"
24"	31"	18"
24"*	31"	18"

\*To fit 24" dual-wall polyethylene pipe.

#### TYPICAL INSTALLATION Inlet Water Level Control Structure



PRINSCO IS PROUD TO BE A PART OF



***ONE* call. *One* source. *ALL* of your drainage needs.**

Toll-free: 855.815.0497 | [www.DrainageAlliance.com](http://www.DrainageAlliance.com)

**National Drainage Alliance Headquarters:**

1717 16th Street NE | Willmar, MN 56201 | Fax: 320.222.6820



**MINNESOTA:**

**Prinsburg**

108 West Highway 7 | Prinsburg, MN 56281  
Phone: 320.978.4116 | Toll Free: 800.992.1725 | Fax: 320.978.8602

**Fairfax**

405 Third Avenue SE | P.O. Box 58 | Fairfax, MN 55332  
Phone: 507.426.7237 | Toll Free: 800.992.1725 | Fax: 507.426.7238

**Rose Creek**

P.O. Box 223 | 61441 170th Street | Rose Creek, MN 55970  
Phone: 507.437.7187 | Toll Free: 800.699.7187 | Fax: 507.437.7253

**ILLINOIS:**

**Chatsworth**

111 East Pine Street | Chatsworth, IL 60921  
Phone: 815.635.3131 | Toll Free: 800.869.7712 | Fax: 815.635.3133

**LaMoille**

29828 Hwy 92 | LaMoille, IL 61330  
Phone: 815.638.2604 | Fax: 815.638.2924

**IOWA:**

**Jesup**

850 Hawkeye Road | P.O. Box 527 | Jesup, IA 50648  
Phone: 319.827.6428 | Toll Free: 800.728.6428 | Fax: 319.827.3103

**Fort Dodge**

310 Twelfth Street NW | Fort Dodge, IA 50501  
Phone: 515.573.3588 | Toll Free: 800.533.8327 | Fax: 515.573.8531

**MISSOURI:**

**Bethany**

1400 Bethany Avenue | P.O. Box 225 | Bethany, MO 64424  
Phone: 660.425.6428 | Toll Free: 888.217.4924 | Fax: 660.425.6625

**CALIFORNIA:**

**Fresno**

2839 South Cherry Avenue | Fresno, CA 93706  
Phone: 559.485.5542 | Toll Free: 877.485.3316 | Fax: 559.485.1747

**Corona**

3725 Temescal Canyon Road | Corona, CA 92883  
Phone: 559.840.6335 | Fax: 951.277.7589

**Union City**

1295 Whipple Rd | Union City, CA 94587  
Phone: 916.899.0827

**SOUTH DAKOTA:**

**Beresford**

600 North 16th Street | Beresford, SD 57004  
Phone: 605.293.2071 | Toll Free: 888.246.0097 | Fax: 605.763.8047

**NORTH DAKOTA:**

**Fargo**

4141 37th Street Northeast | Fargo, ND 58102  
Phone: 701.293.2071 | Toll Free: 877.279.3556 | Fax: 701.293.2052


**WISCONSIN:**

**Appleton**

510 North Lilas Drive | Appleton, WI 54914  
Phone: 920-734-2665 | Toll-Free: 800-657-0877 | Fax: 920-734-2259


**PRINSCO OFFERS  
A FULL LINE OF  
STORMWATER  
MANAGEMENT  
PRODUCTS.**

**Go to [www.prinsco.com](http://www.prinsco.com)  
to see our full Prinsco  
product portfolio for the  
commercial and civil  
construction markets.**





# PRINSCO MANUFACTURING PLANTS & YARDS



1717 16TH STREET NE  
WILLMAR, MN 56201  
800.992.1725  
WWW.PRINSCO.COM

FIND US ON:



## PRINSCO DELIVERS QUALITY

**Prinsco delivers quality from manufacturing right down to the service we provide on delivery.**

The chart to the right gives approximate full-load quantities for a Prinsco 53-foot trailer. The quantities may vary according to the length of the trailer or if common carriers are employed for shipment. In mixed-size load situations, calculate the percentage of the load that each size will constitute. Then total the percentages to determine the extent of the load. If pipe lengths are shipped, small diameter pipe may be nested inside the larger sizes. This will maximize load quantities and reduce freight costs. The chart is strictly "rule of thumb" to give you a general idea of load quantities. For more specific figures, call our customer service department.

DIAMETER    UNIT    UNITS PER LOAD    FOOTAGE

**GOLDLINE CORRUGATED PIPE:**

3"	Micro	260	26,000
	Mini	88	26,400
4"	Micro	170	17,000
	Mini	76	19,000
5"	Mini	76	12,540
6"	Mini	76	7,600
8"	20' Lengths	266	5,320
10"	20' Lengths	180	3,600
12"	20' Lengths	120	2,400
15"	20' Lengths	70	1,400

**ECOFLO 100 / GOLDFLO DUAL-WALL PIPE:**

12"	10' Lengths	225	2,250
	20' Lengths	120	2,400
15"	10' Lengths	155	1,550
	20' Lengths	80	1,600
18"	11' Lengths	92	1,012
	20' Lengths	48	960
24"	11' Lengths	57	627
	20' Lengths	30	600
30"	11' Lengths	33	360
	20' Lengths	18	363
36"	11' Lengths	22	242
	20' Lengths	12	240
42"	11' Lengths	16	176
	20' Lengths	8	160
48"	11' Lengths	11	121
	20' Lengths	6	120
60"	11' Lengths	7	77
	20' Lengths	4	80

**NESTING/TELESCOPING:**

All sizes through 36" will nest in the next larger size.

**FITTINGS:**

Many of our fittings and accessories are packed in bags or bundles. For quantity packs, refer to catalog pages.



WWW.PRINSCO.COM  
800.992.1725