





NOTES

- ALL PIPE SHALL BE INSTALLED IN ACCORDANCE WITH ASTM D2321 STANDARD PRACTICE FOR UNDERGROUND INSTALLATION OF FLEXIBLE THERMOPLASTIC SEWER PIPE, LATEST EDITION.
- DUE TO DIMENSIONAL DIFFERENCES FROM RCP TO HDPE PIPE, VERIFY ALL UNION POINTS BEFORE PROCEEDING WITH INSTILLATION. SEE HDPE TO RCP MARMAC & CONCRETE ENCASED (D-1-124 & D-1-123) FOR MORE OPTIONS.

THIS DETAIL DEPICTS RECOMMENDED INSTALLATION PRACTICES AND IS NOT INTENDED TO SUPERSEDE ANY NATIONAL, STATE OR LOCAL SPECIFICATIONS. PRINSCO BEARS NO RESPONSIBILITY FOR ANY ALTERATIONS, REVISION AND/OR DEVIATION FROM THIS STANDARD DETAIL. PRINSCO HAS NOT PERFORMED ANY ENGINEERING OR DESIGN SERVICE FOR THIS PROJECT. THE DESIGN ENGINEER SHALL REVIEW THESE DETAILS PRIOR TO CONSTRUCTION TO VERIFY SUITABILITY. © PRINSCO, INC.



1717 16TH ST. NE WILLMAR, MN 56201 www.prinsco.com

TITLE:	HUDE DIDE	פוח	SIMIL AD CON	INECTION	REV:
HDPE PIPE - DISSIMILAR CONNECTION -					
HDPE TO RCP BELL CONCRETE ENCASED					
DRAWN BY:	TRA	DATE:	03-Jul-17	DRAWING NUMBER:	
SCALE:	NITO	SHEET:	4.05.4	D-1-125	j
OO, LLL.	NTS	OIILLI.	1 OF 1		